

SPECIFICATIONS

Customer	
Product Name	Wire Wound Chip Ceramic Inductor
Sunlord Part Number	MWSD1608C□□□□TM81
Customer Part Number	

New Released, Revised]

SPEC No.: MWSD0121210000

【 This SPEC is total 15 pages including specifications and appendix. 】

【 ROHS, Halogen-Free and SVHC Compliant Parts 】

Approved By	Checked By	Issued By

Shenzhen Sunlord Electronics Co., Ltd.

Address: Sunlord Industrial Park, Dafuyuan Industrial Zone, Guanlan, Shenzhen, China 518110

Tel: 0086-755-29832333 Fax: 0086-755-82269029 E-Mail: sunlord@sunlordinc.com

【 For Customer approval Only 】

Date: _____

Qualification Status: Full Restricted Rejected

Approved By	Verified By	Re-checked By	Checked By

Comments:

【Version change history】

Rev.	Effective Date	Changed Contents	Change reasons	Approved By
01	/	New release	/	Qintian Hou

Caution

All products listed in this specification are developed, designed and intended for use in general electronics equipment. The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require especially high reliability, or whose failure, malfunction or trouble might directly cause damage to society, person, or property. Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below. Please contact us for more details if you intend to use our products in the following applications.

1. Aircraft equipment
2. Aerospace equipment
3. Undersea equipment
4. nuclear control equipment
5. military equipment
6. Power plant equipment
7. Medical equipment
8. Transportation equipment (automobiles, trains, ships, etc.)
9. Traffic signal equipment
10. Disaster prevention / crime prevention equipment
11. Data-processing equipment
12. Applications of similar complexity or with reliability requirements comparable to the applications listed in the above

1. Scope

This specification applies to the MWSD1608C□□□□TM81 of Wire Wound Chip Ceramic Inductor.

2. Product Description and Identification (Part Number)

1) Description

Wire Wound Chip Ceramic Inductor, 1608, XXX nH± X% @XXXMHz, XXXΩ, XXX mA

2) Product Identification (Part Number)

MWS **D** **1608** **C** □□□ □ **I** **M81**
 ① ② ③ ④ ⑤ ⑥ ⑦ ⑧

① Type	
MWS	Wire Wound Chip Radio Frequency Inductor

② Process	
D	Dip

③ External Dimensions [L X W] (mm)	
1608	1.6 X 0.8

④ Material Code	
Example	Nominal Value
C	Ceramic

⑤ Nominal Inductance (nH)	
1N0	1.0
10N	10
R10	100

⑥ Inductance Tolerance	
C	±0.2nH
D	±0.5nH
G	±2%
J	±5%

⑦ Packing	
B	Bulk Package
T	Tape & Reel

⑧ Internal Code	
M81	Internal Code


3. Electrical Characteristics

Please refer to **Appendix A**.

- 1) Operating and storage temperature range (individual chip without packing): -40°C to +125°C
- 2) Storage temperature range (packaging conditions): -10°C~+40°C and RH 70% (Max.)

4. Shape and Dimensions

1) Dimensions: See the following.




Unit: mm

A	B	C	D REF.	E REF.	H REF.	I REF.	J REF.
1.60±0.20	1.00±0.20	0.90±0.20	0.95	0.30	1.02	0.64	0.64

2) Electrode Coplanarity:0.1mm Max.

3) Structure: See the following.



No.	Components	Material
A	Coating	Ultraviolet epoxy resin
B	Core	Ceramic
C	Wire	Polyurethane system enameled copper wire
D	Electrodes	Ag/Ag-Pd/Mo-Mn with Ni and Sn plating

5. Test and Measurement Procedures

5.1 Test Conditions

Unless otherwise specified, the standard atmospheric conditions for measurement/test as:

- a. Ambient Temperature: 20±15°C
- b. Relative Humidity: 65%±20%
- c. Air Pressure: 86KPa to 106KPa

If any doubt on the results, measurements/tests should be made within the following limits:

- a. Ambient Temperature: 20±2°C
- b. Relative Humidity: 65%±5%
- c. Air Pressure: 86KPa to 106KPa

5.2 Visual Examination

- a. Inspection Equipment: 30 X magnifier

5.3 Electrical Test

5.3.1 DC Resistance (DCR)

- a. Refer to **Appendix A**
- b. Test equipment: HIOKI3540 or equivalent

5.3.2 Inductance (L)

- a. Refer to **Appendix A**.
- b. Test equipment: Agilent 4287A +Agilent 16197A or equivalent
- c. Test signal: -13dBm or 10mA
- d. Test frequency refers to **Appendix A**

5.3.3 Q Factor (Q)

- a. Refer to **Appendix A**
- b. Test equipment: Agilent 4287A +Agilent 16197A or equivalent
- c. Test signal: -13dBm or 10mA
- d. Test frequency refers to **Appendix A**.

5.3.4 Self-Resonant Frequency (SRF)

- a. Refer to **Appendix A**.
- b. Test equipment: Agilent E4991A+Agilent 16197A and HP 8753E or equivalent.
- c. Test signal: -20dBm or 50 mV

5.3.5 Rated Current

- a. Refer to **Appendix A**
- b. Test equipment (see **Fig.5.3.5-1**): Electric Power, Electric current meter, Thermometer.
- c. Measurement method (see **Fig. 5.3.5-1**):
 1. Set test current to be 0mA.
 2. Measure initial temperature of chip surface.
 3. Gradually increase voltage and measure chip temperature for corresponding current.
- d. Definition of Rated Current (Ir): Ir is direct electric current as chip surface temperature rose just 20°C against chip initial surface temperature (Ta) (see **Fig. 5.3.5-2**).




Fig.5.3.5-1









Fig. 5.3.5-2

5.4 Reliability Test

Items	Requirements	Test Methods and Remarks
5.4.1 Terminal Strength	No removal or split of the termination or other defects shall occur. 	① Solder the inductor to the testing jig (glass epoxy board) using eutectic solder. Then apply a force in the direction of the arrow. ② 7N force. ③ Keep time: 10±1s ④ Speed: 1.0 mm/s.
5.4.2 Resistance to Flexure	No visible mechanical damage. 	① Solder the inductor to the test jig. Using a eutectic solder. Then apply a force in the direction shown as left. ② Flexure: 2mm ③ Pressurizing Speed: 0.5mm/sec. ④ Keep time: 5sec.
5.4.3 Vibration	① No visible mechanical damage. ② Inductance change: within ±5% ③ Q factor change: within ±20% 	① Solder the inductor to the testing jig (glass epoxy board) using eutectic solder. ② The inductor shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz. ③ The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours)
5.4.4 Dropping	① No visible mechanical damage. ② Inductance change: within ±5% ③ Q factor change: within ±20%	Drop chip inductor 10 times on a concrete floor from a height of 100 cm.
5.4.5 Solderability	90% or more of electrode area shall be Coated by new solder.	① Electrode of the coil shall be immersed in flux for 5 to 10 Seconds. ② The coil shall be immersed in solder bath at a temperature of 240±5°C, Duration for 3±0.5 seconds. ③ Solder: Sn/3.0Ag/0.5Cu ④ Flux: 25% Resin and 75% ethanol in weight.
5.4.6 Resistance to Soldering Heat	① No visible mechanical damage. ② Inductance change: within ±5% ③ Q factor change: within ±20%	Re-flowing Profile: 

<p>5.4.7 Thermal Shock</p>	<p>① No visible mechanical damage. ② Inductance change: within $\pm 5\%$ ③ Q factor change: within $\pm 20\%$</p> 	<p>① Temperature, Time: -40°C for 30±3 min → +125°C for 30±3 min ② Transforming interval: 20s (max.) ③ Tested cycle: 100 cycles ④ The chip shall be stabilized at normal condition for 1~2 hours before measuring.</p>
<p>5.4.8 Resistance to Low Temperature</p>	<p>① No visible mechanical damage. ② Inductance change: within $\pm 5\%$ ③ Q factor change: within $\pm 20\%$</p>	<p>① Temperature: -40±2°C ② Duration: 1000⁺²⁴ hours ③ The chip shall be stabilized at normal condition for 1~2 hours before measuring.</p>
<p>5.4.9 Resistance to High Temperature</p>	<p>① No mechanical damage. ② Inductance change: within $\pm 5\%$ ③ Q factor change: within $\pm 20\%$</p>	<p>① Temperature: 125±2°C ② Duration: 1000⁺²⁴ hours ③ The chip shall be stabilized at normal condition for 1~2 hours before measuring.</p>
<p>5.4.10 Damp Heat (Steady States)</p>	<p>① No mechanical damage. ② Inductance change: within $\pm 5\%$ ③ Q factor change: within $\pm 20\%$</p>	<p>① Temperature: 60±2°C, Humidity: 90% to 95% RH ② Duration: 1000⁺²⁴ hours ③ The chip shall be stabilized at normal condition for 1~2 hours before measuring.</p>
<p>5.4.11 Loading Under Damp Heat</p>	<p>① No mechanical damage. ② Inductance change: within $\pm 5\%$ ③ Q factor change: within $\pm 20\%$</p>	<p>① Temperature: 60±2°C, Humidity: 90% to 95% RH ② Duration: 1000⁺²⁴ hours ③ Applied current: Rated current. ④ The chip shall be stabilized at normal condition for 1~2 hours before measuring.</p>
<p>5.4.12 Loading at High Temperature (Life Test)</p>	<p>① No mechanical damage. ② Inductance change: within $\pm 5\%$ ③ Q factor change: within $\pm 20\%$</p>	<p>① Temperature: 125±2°C ② Duration: 1000⁺²⁴ hours ③ Applied current: Rated current. ④ The chip shall be stabilized at normal condition for 1~2 hours before measuring.</p>

6. Packaging and Storage

6.1 Packaging

There are two types of packaging for the chip inductors. Please specify the packing code when ordering.

Tape Carrier Packaging:

Packaging code: T

- a. Tape carrier packaging are specified in attached figure Fig.6.1-1~4
- b. Tape carrier packaging quantity please see the following table:

Type	1608
Tape	Paper Tape
Quantity	3K

(1) Taping Drawings (Unit: mm)




Fig. 6.1-1

Remark: The sprocket holes are to the right as the tape is pulled toward the user.

(2) Taping Dimensions (Unit: mm)




Fig. 6.1-2

Type	A	B	P	K	T
1608	1.20 ± 0.10	1.90 ± 0.10	4.0 ± 0.10	1.00 ± 0.10	1.03 ± 0.10

(3) Leader and blank portion




Fig. 6.1-3

(4) Reel Dimensions (Unit: mm)





Fig. 6.1-4

(5) Peeling off force: 10gf to 70gf in the direction show below.



6.2 Storage

- a. The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to high humidity. Package must be stored at 40°C or less and 70% RH or less.
- b. The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to dust of harmful gas (e.g. HCl, sulfurous gas of H₂S)
- c. Packaging material may be deformed if package are stored where they are exposed to heat of direct sunlight.
- d. Minimum packages, such as polyvinyl heat-seal packages shall not be opened until they are used. If opened, use the reels as soon as possible.
- e. Solderability shall be guaranteed for 12 months from the date of delivery on condition that they are stored at the environment specified in specification. For those parts, which passed more than 12 months shall be checked solder-ability before use.

7. Warning and Attention


7.1 Precautions on Use

- a. Always wear static control bands to protect against ESD.
- b. Any devices used (soldering iron, measuring instruments) should be properly grounded.
- c. Use non-magnetic tweezers when handing the chips.
- d. Pre-heating when soldering, and refer to the recommended condition specified in specification.
- e. Don't apply current in excess of the rated current value. It may cause damage to components due to over-current.
- f. Keep clear of anything that may generate magnetic fields such as speakers, coils.
- g. When soldering, the electrical characteristics may be varied due to hot energy and mechanical stress.
- h. When coating products with resin, the relatively high resin curing stress may change the electrical characteristics. For exterior coating, select resin carefully so that electrical and mechanical performance of the product is not affected. Before using, please evaluate reliability with the product mounted in your application set.
- i. When mount chips with adhesive in preliminary assembly, do appropriate check before the soldering stage, i.e., the size of land pattern, type of adhesive, amount applied, hardening of the adhesive on proper usage and amounts of adhesive to use.
- j. Mounting density: Add special attention to radiating heat of products when mounting other components nearby. The excessive heat by other products may cause deterioration at joint of this product with substrate.
- k. Since some products are constructed like an open magnetic circuit, narrow spacing between components may cause magnetic coupling.
- l. Please do not give the product any excessive mechanical shocks in transportation.
- m. Please do not touch wires by sharp terminals such as tweezers to avoid causing any damage to wires.
- n. Please do not add any shock and power to the soldered product to avoid causing any damage to chip body.
- o. Please do not touch the electrodes by naked hand as the solderability of the external electrodes may deteriorate by grease or oil on the skin.


7.2 PCB Bending Design

The following shall be considered when designing and laying out PCB's.

- a. PCB shall be designed so that products are not subjected to the mechanical stress from board warp or deflection.



- b. Products location on PCB separation.



- c. When splitting the PCB board, or insert (remove) connector, or fasten thread after mounting components, care is required so as not to give any stress of deflection or twisting to the board. Because mechanical force may cause deterioration of the bonding strength of electrode and solder, even crack of product body. Board separation should not be done manually, but by using appropriate devices.

7.3 Recommended PCB Design for SMT Land-Patterns

When chips are mounted on a PCB, the amount of solder used (size of fillet) and the size of PCB Land-Patterns can directly affect chip performance (such as Q). And they can also cause other soldering question (such as offset and side lap). Therefore, the following items must be carefully considered in the design of solder land patterns.

- a. Please use the PCB pad and solder paste we recommend, and contact us in advance if they need to be changed.
- b. Please use flux contained with resin since the highly acidic (Chlorine content more than 0.2 wt%) or water-soluble one could damage the insulation film of wires, then causing short circuit of parts.
- c. The amount of solder applied can affect the ability of chips to withstand mechanical stresses which may lead to breaking or cracking. Therefore, when designing land-patterns it is necessary to consider the appropriate size and configuration of the solder pads which in turn determines the amount of solder necessary to form the fillets.
- d. When more than one part is jointly soldered onto the same land or pad, the pad must be designed that each component's soldering point is separated by solder-resist.


Recommended land dimensions please refer to product specification.

8. Recommended Soldering Technologies

This product is only for reflow soldering and iron soldering.

8.1 Re-flowing Profile


- △ Preheat condition: 150~200°C/60~120sec.
- △ Allowed time above 217°C: 60~90sec.
- △ Max temp: 260°C
- △ Max time at max temp: 10sec.
- △ Solder paste: Sn/3.0Ag/0.5Cu
- △ Allowed Reflow time: 2 times max.



[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]

8.2 Iron Soldering Profile

- △ Iron soldering power: 30W Max.
- △ Preheat condition: 150°C/60sec.
- △ Soldering tip temperature: 350°C Max.
- △ Soldering time: 3sec. Max.
- △ Solder paste: Sn/3.0Ag/0.5Cu
- △ Iron Soldering time: 1 time max.




[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.]

8.3 Maintenance of heat gun (for your reference)

- △ Power output: 30W
- △ Temperature: 350°C Max
- △ Heat time: More than 5 seconds heating may cause short circuit of parts.

9. Solder Volume

Solder shall be used not to exceed as shown below.



- a. Accordingly increasing the solder volume, the mechanical stress to chip is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance.
- b. Before soldering, please ensure that the solder should not adhere to the wire part of chip.
- c. Please pay particular attention to whether there is flux remaining on surface of the wire part of chip after subjected to reflow soldering since this may causing short circuit of parts.


10. Cleaning

Products shall be cleaned on the following conditions:

- a. Cleaning temperature shall be limited to 60°C Max. (40°C Max. for fluoride and alcohol type cleaner.)
- b. Ultrasonic cleaning shall comply with the following conditions, avoiding the resonance phenomenon at the mounted products and PCB.
 - Power: 20W/l Max.
 - Frequency: 28 KHz to 40 KHz
 - Time: 5 minutes Max
- c. Cleaner
 - i. Alternative cleaner
 - Isopropyl alcohol (IPA)
 - HCFC-225
 - ii. Aqueous agent
 - Surface Active Agent Type (Clean through-750H)
 - Hydrocarbon Type (Techno Cleaner-335)
 - Higher Alcohol Type (Pine Alpha ST-100S)
 - Alkali saponifier Type (※ Aqua Cleaner 240)
 - ※ Alkali saponification shall be diluted to 20% volume with de-ionized water.
 - ※ Please contact our technical service department before using other cleaner.
- d. There shall be no residual flux and residual cleaner after cleaning. In the case of using aqueous agent, product shall be dried completely after rinse with de-ionized water in order to remove the cleaner.
- e. Some products may become slightly whitened. However, product performance or usage is not affected.
- f. Please take care of winding part while cleaning.
- g. After cleaning, parts could be subjected to the next reflow soldering till the solvent remaining on surface of parts being volatilized.

11. Measuring Method of Inductance

a. Residual elements and stray elements of test fixture can be described by F-parameter as shown in the following:



Series	Compensation Value
MWSD1608C-M81	0.771nH

$$\begin{bmatrix} V_1 \\ I_1 \end{bmatrix} = \begin{bmatrix} A & B \\ C & D \end{bmatrix} \begin{bmatrix} V_2 \\ I_2 \end{bmatrix}$$

$$\begin{bmatrix} V_1 \\ I_1 \end{bmatrix} = \begin{bmatrix} AV_2 + BI_2 \\ CV_2 + DI_2 \end{bmatrix}$$

Measured open impedance: $Z_{om} = \frac{A}{C}$

Measured short impedance: $Z_{sm} = \frac{B}{D} \approx -Z_{sc}$ (when uses short chip to short)

Measured short ship impedance: Z_{sc}

Measured value: $Z_{xm} = V_1/I_1$

Impedance of DUT: $Z_x = V_2/I_2$

b. The relation between Z_x and Z_{om} , Z_{sm} , Z_{xm} is shown in the following:

$$Z_x = \frac{V_2}{I_2} = \frac{D}{A} * \frac{\frac{V_1}{I_1} - \frac{B}{D}}{1 - \frac{V_1}{I_1} * \frac{C}{A}} = \frac{D}{A} * \frac{Z_{xm} - \frac{B}{D}}{1 - Z_{xm} * \frac{C}{A}} = \frac{D}{A} * \frac{Z_{xm} - Z_{sm}}{1 - Z_{xm} / Z_{om}}$$

c. L_x should be calculated with the following equation:

$$L_x = \frac{\ln(Z_x)}{2\pi f} = \frac{\ln(Z_{xm} + Z_{sc})}{2\pi f} = \frac{\ln(Z_{xm})}{2\pi f} + \frac{\ln(Z_{sc})}{2\pi f} = L_{xm} + L_{sc}$$

L_{xm} : measured chip inductor inductance

L_{sc} : measured short chip inductance

L_x : Inductance of chip inductor

d. Compensation Value (L_{sc}) of short chip

Appendix A: Electrical Characteristics


I MWSD1608C□□□□TM81 Series

Part Number	Inductance	Tolerance	Min. Quality Factor	L/Q Test Freq.	Max. DC Resistance	Max. Rated Current	Min. Self-resonant Frequency
Units	nH	-	—	MHz	Ω	mA	MHz
Symbol	L	-	Q	Freq.	DCR	I _r	S.R.F
MWSD1608C2N2□□TM81	2.2	C	24	100/250	0.018	3200	15000
MWSD1608C2N4□□TM81	2.4	C	18	100/250	0.026	2400	15000
MWSD1608C3N0□□TM81	3.0	C,	13	100/250	0.17	670	15000
MWSD1608C3N9□□TM81	3.9	C, G	30	100/250	0.028	2200	10000
MWSD1608C4N1□□TM81	4.1	C, G	30	100/250	0.028	2200	10000
MWSD1608C4N2□□TM81	4.2	C, G	30	100/250	0.028	2200	10000
MWSD1608C4N3□□TM81	4.3	C, G	35	100/250	0.036	2100	11600
MWSD1608C4N7□□TM81	4.7	C, G	25	100/250	0.054	1500	10400
MWSD1608C4N9□□TM81	4.9	C, G	23	100/250	0.081	1200	7300
MWSD1608C6N0□□TM81	6.0	C, G	40	100/250	0.040	1900	6650
MWSD1608C6N5□□TM81	6.5	C, G	40	100/250	0.040	1900	6650
MWSD1608C6N8□□TM81	6.8	C, G	40	100/250	0.040	1900	6650
MWSD1608C7N2□□TM81	7.2	C, G	38	100/250	0.040	1900	6650
MWSD1608C7N5□□TM81	7.5	C, G	35	100/250	0.048	1500	7000
MWSD1608C8N2□□TM81	8.2	C,G	38	100/250	0.052	1600	4750
MWSD1608C8N4□□TM81	8.4	C,G	38	100/250	0.052	1600	4750
MWSD1608C8N7□□TM81	8.7	C, G	38	100/250	0.052	1600	4750
MWSD1608C9N1□□TM81	9.1	C, G	38	100/250	0.052	1600	4750
MWSD1608C9N5□□TM81	9.5	C, G	38	100/250	0.052	1600	4750
MWSD1608C9N9□□TM81	9.9	C, G	38	100/250	0.052	1600	4750
MWSD1608C10N□□TM81	10	G ,J	38	100/250	0.052	1600	4750
MWSD1608C11N□□TM81	11	G ,J	40	100/250	0.052	1600	4750
MWSD1608C12N□□TM81	12	G ,J	37	100/250	0.064	1500	5000
MWSD1608C13N□□TM81	13	G ,J	37	100/250	0.064	1500	5000
MWSD1608C15N□□TM81	15	G ,J	38	100/250	0.075	1400	4600
MWSD1608C16N□□TM81	16	G ,J	40	100/250	0.075	1400	4100
MWSD1608C17N□□TM81	17	G ,J	40	100/250	0.075	1400	4600
MWSD1608C18N□□TM81	18	G ,J	40	100/250	0.075	1400	4600
MWSD1608C19N□□TM81	19	G ,J	40	100/250	0.075	1400	3900
MWSD1608C22N□□TM81	22	G ,J	40	100/250	0.086	1300	3450
MWSD1608C23N□□TM81	23	G ,J	40	100/250	0.086	1300	3450
MWSD1608C24N□□TM81	24	G ,J	40	100/250	0.086	1300	3450
MWSD1608C25N□□TM81	25	G ,J	40	100/250	0.098	1200	3600
MWSD1608C27N□□TM81	27	G ,J	40	100/250	0.098	1200	3600
MWSD1608C28N□□TM81	28	G ,J	40	100/250	0.098	1200	3600
MWSD1608C30N□□TM81	30	G ,J	40	100/250	0.12	1100	2880
MWSD1608C31N□□TM81	31	G ,J	40	100/250	0.11	1100	3150
MWSD1608C34N□□TM81	34	G ,J	40	100/250	0.15	1050	3000
MWSD1608C36N□□TM81	36	G, J	37	100/250	0.20	910	3000
MWSD1608C37N□□TM81	37	G ,J	37	100/250	0.20	910	3000
MWSD1608C39N□□TM81	39	G ,J	40	100/250	0.16	1000	3280
MWSD1608C41N□□TM81	41	G ,J	40	100/250	0.16	1000	3100
MWSD1608C43N□□TM81	43	G ,J	40	100/250	0.21	840	2780
MWSD1608C44N□□TM81	44	G, J	40	100/250	0.21	840	2780
MWSD1608C47N□□TM81	47	G ,J	32	100/200	0.23	830	2700
MWSD1608C48N□□TM81	48	G ,J	32	100/200	0.23	830	2700
MWSD1608C51N□□TM81	51	G ,J	32	100/200	0.23	830	2700
MWSD1608C52N□□TM81	52	G ,J	35	100/200	0.27	750	2750
MWSD1608C56N□□TM81	56	G ,J	38	100/200	0.26	770	2600
MWSD1608C58N□□TM81	58	G ,J	35	100/200	0.30	700	2400
MWSD1608C68N□□TM81	68	G ,J	37	100/200	0.38	630	2380


MWSD1608C69N□TM81	69	G ,J	37	100/200	0.38	630	2380
MWSD1608C72N□TM81	72	G ,J	34	100/150	0.47	560	2100
MWSD1608C73N□TM81	73	G ,J	28	100/150	0.41	590	2100
MWSD1608C75N□TM81	75	G ,J	28	100/150	0.41	590	2050
MWSD1608C78N□TM81	78	G ,J	28	100/150	0.41	590	2280
MWSD1608C82N□TM81	82	G ,J	34	100/150	0.50	550	2230
MWSD1608C83N□TM81	83	G ,J	34	100/150	0.50	550	2110
MWSD1608C91N□TM81	91	G ,J	33	100/150	0.54	520	1900
MWSD1608C94N□TM81	94	G ,J	34	100/150	0.63	490	1750
MWSD1608CR10□TM81	100	G ,J	34	100/150	0.63	490	1750
MWSD1608CR11□TM81	110	G ,J,	32	100/150	0.70	450	1730
MWSD1608CR12□TM81	120	G ,J	32	100/150	0.72	450	1650
MWSD1608CR15□TM81	150	G ,J	28	100/150	0.87	420	1450
MWSD1608CR18□TM81	180	G ,J	25	100/100	1.65	310	1380
MWSD1608CR20□TM81	200	G ,J	25	100/100	1.74	290	1350
MWSD1608CR21□TM81	210	G ,J	27	100/100	1.98	280	1330
MWSD1608CR22□TM81	220	G ,J	25	100/100	2.08	280	1330
MWSD1608CR25□TM81	250	G ,J	24	100/100	2.28	250	1300
MWSD1608CR27□TM81	270	G ,J	24	100/100	2.42	260	1200
MWSD1608CR30□TM81	300	G ,J	25	100/100	3.12	220	1050
MWSD1608CR33□TM81	330	G ,J	25	100/100	3.84	190	1000
MWSD1608CR36□TM81	360	G ,J	25	100/100	3.98	190	900
MWSD1608CR39□TM81	390	G ,J	25	100/100	4.23	190	1000

II. Typical Electrical Characteristics





Inductance vs. Frequency Characteristics



Q vs. Frequency Characteristics



Appendix B: Appearance standard

File No:		Applied to Wire Wound Ceramic Inductor Series	
Effective date:			
No.	Defect Item Item	Graphic Schematic Drawing	Rejection identification Criteria
1	Wire off/ Welding Spot Off		The solder joint Welding Spot of wire break away from electrodes, or over the electrodes.
2	Solder misplace		Solder joints are not at electrode side but at the coating side or flank.
3	Coating misplace		Coating at flank
			Coating at electrodes side