SPECIFICATIONS

Customer									
Product Name		Wire Wound SMD Power Inductor							
Sunlord Part Number			SWPA4030S Series						
Customer Part l	Number								
⊠New Released	d, ⊡Revi	sed]			SPEC N	No.: SW	/PA1102	22300	000
(This SPEC is total (ROHS Compliant F									
[Approve	d By	Che	cked By	Issued	d By			
Shenzhedress: Sunlord Indu	strial Park,		uan Ind	lustrial Zone		henzhen	, China		= 3110
dress: Sunlord Indu 0086-755-29832333	strial Park, Fax: 00	Dafuyı	uan Ind	lustrial Zone 029 E-Ma	, Baoan, S	henzhen	, China		• 3110
dress: Sunlord Indu	strial Park, Fax: 00	Dafuyu 086-755	uan Ind	lustrial Zone 029 E-Ma Date:	e, Baoan, S ail: sunlord@s	henzhen	, China		• 1110
dress: Sunlord Indu 0086-755-29832333 or Customer approva	strial Park, Fax: 00 I Only] Full	Dafuyu 086-755	uan Ind -822690 estricted	lustrial Zone 029 E-Ma Date:	e, Baoan, S iil: sunlord@s cted	henzhen sunlordinc	, China		• 1110
dress: Sunlord Indu 0086-755-29832333 or Customer approva alification Status:	strial Park, Fax: 00 I Only] Full	Dafuyı 086-755	uan Ind -822690 estricted	lustrial Zone 029 E-Ma Date: Reje	e, Baoan, S iil: sunlord@s cted	henzhen sunlordinc	, China .com		1110

Sunlord business categories: Level 0 (general confidential) Specifications for Wire Wound SMD Power Inductor Rev.11

【Version change history】

Rev.	Effective Date	Changed Contents	Change Reasons	Approved By
01	1	New released	/	Guo Ouyang

Sunlord business categories: Level 0 (general confidential) Specifications for Wire Wound SMD Power Inductor Page 3of 17 Rev.11

Caution

All products listed in this specification are developed, designed and intended for use in general electronics equipment. The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require especially high reliability, or whose failure, malfunction or trouble might directly cause damage to society, person, or property. Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below. Please contact us for more details if you intend to use our products in the following applications.

- 1. Aircraft equipment
- 2. Aerospace equipment
- 3. Undersea equipment
- 4. nuclear control equipment
- 5. military equipment
- 6. Power plant equipment
- 7. Medical equipment
- 8. Transportation equipment (automobiles, trains, ships,etc.)
- 9. Traffic signal equipment
- 10. Disaster prevention / crime prevention equipment
- 11. Applications of similar complexity or with reliability requirements comparable to the applications listed in the above

1. Scope

This specification applies to the SWPA4030S Series of wire wound SMD power inductor.

Product Description and Identification (Part Number)

1) Description:

SWPA4030S series of Wire wound SMD power inductor.

2) Product Identification (Part Number)

<u>SWPA</u>	<u>4030</u>	<u>s</u>			<u>T</u>	
1	2	3	4	(5)	6	7

1	Туре		
SWPA	Wire wound SMD power		
SWPA	inductor		

② External Dimensions(L×W×H) [mm]			
	4030	4.0X4.0X 3.0	

③ Feature type			
S	Standard Type		

(5)	⑤ Inductance Tolerance					
	N	±30%				
	М	±20%				

6	Packing
Т	Tape Carrier Package

4	Nominal	Inductance
Example		Example
1R0		1.0uH
100		10uH
101		100uH

Special Process code					
	Special Process code				
* Standard product is blank					

Electrical Characteristics

Please refer to Appendix A (Page 13).

- Operating and storage temperature range (individual chip without packing): -40°C ~+125°C (Including Self-heating) .
- 2) Storage temperature range (packaging conditions): -10 $^{\circ}$ C ~+40 $^{\circ}$ C and RH 70% (Max.).

Shape and Dimensions

- Dimensions and recommended PCB pattern for reflow soldering, please see Fig.4-1 and Table 4-1.
- Structure: See Fig.4-3 and Table 4-2. 2)




Fig.4-1

[Table 4-1] (Unit: mm)

Series	Α	В	С	D	E	а	b	С
SWPA4030S	4.0±0.2	4.0±0.2	3.0Max.	3.3±0.2	0.95±0.2	1.90Typ.	1.10Typ.	3.70Typ.





Fig.4-2



	[Table 4-2]					
No.	Components	Material				
1	Ferrite Core	Ni-Zn Ferrite				
2	Wire	Polyurethane system enameled copper wire				
3	Magnetic Glue	Epoxy resin and magnetic powder				
4	Electrodes	Sn Alloy				

[Table 4-2]

Fig.4-3

Test and Measurement Procedures

5.1 Test Conditions

5

- 5.1.1 Unless otherwise specified, the standard atmospheric conditions for measurement/test as:
 - a. Ambient Temperature: 20±15°C
 - Relative Humidity: 65±20%
 - Air Pressure: 86kPa to 106kPa
- 5.1.2 If any doubt on the results, measurements/tests should be made within the following limits:

 - Relative Humidity: 65±5%
 - Air Pressure: 86kPa to 106kPa

5.2 Visual Examination

Inspection Equipment: 10X microscope.

5.3 Electrical Test

- 5.3.1 Inductance (L)
 - Refer to Appendix A. Test equipment: WK3260B LCR meter or equivalent. a.
 - Test Frequency and Voltage: refers to Appendix A.
- 5.3.2 Direct Current Resistance (DCR)
 - Refer to Appendix A. a.
 - Test equipment: HIOKI 3540 or equivalent. b.
- 5.3.3Saturation Current (Isat)
 - a. Refer to Appendix A
 - Test equipment: WK3260B LCR meter or equivalent. b.
- 5.3.4 Temperature rise current (Irms)
 - Refer to Appendix A.
 - b. Test equipment (see Fig. 5.3.4-1, Fig. 5.3.4-2): Electric Power, Electric current meter, Thermometer.
 - Measurement method
 - 1. Set test current to be 0 mA.
 - 2. Measure initial temperature of choke surface.
 - 3. Gradually increase current and measure choke temperature for corresponding current.
 - Definition of Temperature rise current: DC current that causes the temperature rise ($\triangle T$) from ambient temperature




Fig. 5.3.4-1

RT 0 Rated current

Fig. 5.3.4-2

- 5.3.5Self-resonant frequency(SRF)
 - a. Refer to Appendix A.
 - b. Test equipment: Agilent E4991A+16197or equivalent

Product Marking

Please refer to Fig. 6-1.

The content of marking please refers to Appendix A.





Fig. 6-1.

Reliability Test

Items	Requirements	Test Methods and Remarks
7.1 Terminal Strength	No removal or split of the termination or other defects shall occur. X direct Fig.7.1-1	 Solder the inductor to the testing jig (glass epoxy board shown in Fig.7.1-1) using eutectic solder. Then apply a force in the direction of the arrow. 10N force. Keep time: 5s
7.2 Resistance to Flexure	No visible mechanical damage. R230 R230 Fig.7.1-1 No visible mechanical damage.	Solder the chip to the test jig (glass epoxy board) using eutectic solder. Then apply a force in the direction shown as Fig.7.2-1. Flexure: 2mm Pressurizing Speed: 0.5mm/sec Keep time: 30±1s Test board size: 100X40X1.0 Land dimension: Please see Fig. 4-1
7.3 Vibration	No visible mechanical damage. Inductance change: Within ±10%	 Solder the chip to the testing jig (glass epoxy board shown as the following figure) using eutectic solder. The chip shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz. The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours).
7.4 Temperature coefficient	Inductance change: Within ±20%	 Temperature: -40 °C ~+125 °C With a reference value of +20 °C, change rate shall be calculated
7.5 Solderability	90% or more of electrode area shall be coated by new solder.	 The test samples shall be dipped in flux, and then immersed in molten solder. Solder temperature: 245±5℃ Duration: 5±1 sec. Solder: Sn/3.0Ag/0.5Cu Flux: 25% resin and 75% ethanol in weight Immersion depth: all sides of mounting terminal shall be immersed
7.6 Resistance to Soldering Heat	No visible mechanical damage. Inductance change: Within ±10%	1 Re-flowing Profile: Please refer to Fig. 7.6-1. 2 Test board thickness: 1.0mm 3 Test board material: glass epoxy resin 4 The chip shall be stabilized at normal condition for 1~2 hours before measuring 260°C Peak 260°C max Max Ramp Down Rate=3°C/sec. Max Ramp Down Rate=6°C/sec 200°C 150°C Time 25°C to Peak =8 min max Fig. 7.6-1




8 Packaging, Storage and Transportation


8.1 Tape and Reel Packaging Dimensions

8.1.1Taping Dimensions (Unit: mm)

Please refer to Fig. 8.1.1 and Table 8.1.1.



Series	A_0	B ₀	W	Е	F	P ₀	P ₁	P ₂	D ₀	Т	K ₀
SWPA4030S	4.3±0.1	4.3±0.1	12.0±0.3	1.75±0.1	5.5±0.1	4.0±0.1	8.0±0.1	2.0±0.1	1.5+0.1/-0.0	0.4±0.03	3.2±0.1



8.1.3 Reel Dimensions (Unit: mm)

Please refer to Fig. 8.1.3. 12.4+0.2/0.0mm 2.3±0.2 Ø100 Ø13.0+0.2/-0.0 Max<18.4mm

Fig. 8.1.2

8.1.4 Top tape strength

Peel-off strength: 10~100gf.

Peel-off angle: 165°~180°, refers to Fig.8.1.4.

Peel-off speed: 300mm/min.

8.1.5The number of components

A tape & reel package contains 2000 inductors.

8.1.6 The allowable number of empty chip cavities

Maximum two (2) chip cavities missing product may exist in a reel but they may not be consecutive two cavities.

Flg. 8.1.3



8.2.1Packing Documents

Packing documents include the following:

- 1) Packaging list
- 2) Certificate of compliance (COC)
- 8.2.2 Packing QTY.
 - Inner Box: 1 reels in each box. 1)
 - 2) Outer Box: 2 or 4 inner boxes in each outer case.
 - 2 or 4 reels in each outer case.

8.2.3 Marking

1)Marking label information on reels includes (see Fig.8.2.3-1、 Fig.8.2.3-2A/2B):

Fig.8.2.3-2A: Shipping labels

- P/O No. a).
- b). Customer Part No.
- Sunlord Part No. c).
- d). Quantity...
- e). Lot No.
- Date code f).
- Inspection stamp
- MFG address as 'Made In China'




Fig. 8.1.4

165°~180°

Fig.8.2.3

Top cover tape

Fig.9.2.3-2B: Production labels

- a). P/O No.
- b). Quantity..
- c). Lot No.
- d). Inspe No
- e). Inspection stamp
- f). MFG address as 'Made In China'.
- g). sequence number




Fig.9.2.3-2A



- Inner box please refers to Fig.8.2.3-3 and Table 8.2.3-1
- Marking Label on inner box b).
- 3)Marking on outer case (see Fig.8.2.3-5~7):

Out case size pleases reefers to Table 8.2.3-2.

- Manufacturer: Sunlord ID: "Shenzhen Sunlord Electronics Co., Ltd."
- b). Packing label include the following:
 - i) Customer
 - Manufacturer ii)
 - iii) Date code
 - iv) C/No.

Example; "1/10" means that this case is the 1st one Of total 10 cases

- V) P/O No.
- Customer Part No. vi)
- vii) Sunlord Part No.
- viii) Quantity.
- Inspection Stamp. ix)




Fig.9.2.3-2B




Fig.8.2.3-3

[Table 8.2.3-1]

Packaging type	A(mm)	B(mm)	C(mm)		
Inner box	340	30	340		

[Table 8.2.3-2]

Packaging	L(mm)	W(mm)	H(mm)		
type					
TYP1	380	380	250		
TYP2	380	380	190		




Fig. 8.2.3-5




Fig.8.2.3-6




Fig.8.2.3-7

9 Vis	9 Visual inspection standard of product								
File No:		Appli	REV:02						
No.	e date: Defect Item	Graphic	Rejection identification	Acceptance					
1	Core defect	w w w w w w w w w w w w w w w w w w w	The defect length/width (I or w) more than L/6 or W/6, NG.	AQL=0.65					
2	Core crack		Visual cracks, NG.	AQL=0.65					
3	Starvation	W S	Resin starved length, <i>I</i> , more than L/2, NG. IF <i>W</i> >2mm, resin starved width, <i>w</i> , more than W/2, NG. IF <i>W</i> ≤2mm, resin starved width, <i>w</i> , don't control.	AQL=0.65					
4	Excessive glue		The length, width or height of product beyond specified value, NG.	AQL=0.65					
5	Cold solder		Cold solders / more than 1 mm, NG.	AQL=0.65					
6	Solder icicle	Δf	 The height <i>H</i> of product beyond specified value, NG; The clearance Δf beyond specified value listed in Item 4, NG; 	AQL=0.65					
7	Electrode uneven	Δf	The clearance Δf beyond specified value listed in Item 4 , NG;	AQL=0.65					

10 Recommended Soldering Technologies

10.1 Re-flowing Profile:

△ Preheat condition: 150 ~200 °C/60~120sec.

△ Allowed time above 217°C: 60~90sec.

△ Max temp: 260°C

△ Max time at max temp: 5sec.
 Solder paste: Sn/3.0Ag/0.5Cu
 △ Allowed Reflow time: 2x max
 Please refer to Fig. 10.1-1.

[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]




Fig. 10.1-1

10.2 Iron Soldering Profile

△ Iron soldering power: Max. 30W

△ Pre-heating: 150°C/60sec.

△ Soldering Tip temperature: 350 °C Max.

△ Soldering time: 3sec. Max.
 △ Solder paste: Sn/3.0Ag/0.5Cu
 △ Max.1 times for iron soldering
 Please refer to Fig. 10.2-1.

[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.




Fig.10.2-1

11 Precautions

11.1 Surface mounting

- Mounting and soldering condition should be checked beforehand.
- Applicable soldering process to this product is reflow soldering only.
- Recommended conditions for repair by soldering iron:

Preheat the circuit board with product to repair at $150\,^\circ\!\mathrm{C}$ for about 1 minute.

Put soldering iron on the land-pattern.

The soldering iron should not directly touch the inductor.

Product once removes from the circuit board may not be used again.

11.2 Handing

- Keep the products away from all magnets and magnetic objects.
- Be careful not to subject the products to excessive mechanical shocks.
- Please avoid applying impact to the products after mounted on pc board.
- Avoid ultrasonic cleaning.
- It is recommended to use automatic plate division by equipment instead of manual plate splitting to avoid affecting the peeling strength of the electrode.
- Hard tweezers cannot be used to grip the product, it is recommended to use a nozzle pen to prevent damage to the insulation of the product..

11.3 Storage

- To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should be controlled.
- Recommended conditions: -10°C~40°C, 70%RH (Max.)
- Even under ideal storage conditions, solderability of products electrodes may decrease as time passes. For this reason, product should be used with one year from the time of delivery.
- In case of storage over 12 months, solderability shall be checked before actual usage.

11.4 Regarding Regulations

- Any Class- I or Class- II ozone-depleting substance (ODS) listed in the Clean Air Act in US for regulation is not included in the products or applied to the products at any stage of whose manufacturing processes.
- Certain brominated flame retardants (PBBs, PBDEs) are not used at all.
- The products of this specification are not subject to the Export Trade Control Order in China or the Export Administration Regulations in US.

11.5 Guarantee

- The guaranteed operating conditions of the products are in accordance with the conditions specified in this specification.
- Please note that Sunlord takes no responsibility for any failure and/or abnormality which is caused by use under other than the aforesaid operating conditions.

Appendix A: Electrical Characteristics

Customer P/N	Part Number	Inductance	Min. Self-resonant	DC Resistance		Saturation Current		Heat Rating Current		NA - ul dia -
F/I N		0.1MHz/1V	frequency	Max.	Тур.	Max.	Тур.	Max.	Тур.	Marking
	Units	μH	MHz	Ω	Ω	Α	Α	Α	Α	
	Symbol	L	SRF	DO	CR	Is	at	Irr	ns	-
	SWPA4030SR68NT	0.68±30%	130	0.013	0.010	6.80	8.00	4.56	5.10	R68
	SWPA4030SR91NT	0.91±30%	100	0.017	0.013	6.25	6.80	4.15	4.70	R91
	SWPA4030S1R0NT	1.0±30%	70	0.018	0.014	5.26	5.70	4.15	4.70	1R0
	SWPA4030S1R2NT	1.2±30%	80	0.020	0.015	5.80	6.30	3.82	4.20	1R2
	SWPA4030S1R5NT	1.5 ±30%	62	0.026	0.020	4.84	5.30	3.34	3.60	1R5
	SWPA4030S1R8NT	1.8±30%	60	0.033	0.025	4.50	5.00	3.20	3.30	1R8
	SWPA4030S2R2NT	2.2±30%	52	0.039	0.030	4.90	5.80	2.95	3.20	2R2
	SWPA4030S3R3MT	3.3±20%	38	0.052	0.040	3.30	3.60	2.40	2.60	3R3
	SWPA4030S3R9MT	3.9±20%	32	0.074	0.057	3.00	3.30	2.10	2.30	3R9
	SWPA4030S4R3MT	4.3±20%	37	0.072	0.055	2.95	3.20	2.10	2.30	4R3
	SWPA4030S4R7MT	4.7±20%	31	0.078	0.060	2.90	3.20	2.00	2.30	4R7
	SWPA4030S5R6MT	5.6±20%	30	0.085	0.065	2.60	2.80	1.95	2.10	5R6
	SWPA4030S6R8MT	6.8±20%	24	0.117	0.090	2.75	3.00	1.60	1.70	6R8
	SWPA4030S7R5MT	7.5±20%	26	0.111	0.085	2.20	2.40	1.65	1.80	7R5
	SWPA4030S8R2MT	8.2±20%	26	0.117	0.090	2.10	2.30	1.60	1.70	8R2
	SWPA4030S100MT	10±20%	21	0.130	0.100	1.95	2.40	1.50	1.60	100
	SWPA4030S120MT	12±20%	18	0.176	0.135	1.70	1.80	1.30	1.40	120
	SWPA4030S150MT	15±20%	16	0.247	0.190	1.65	1.80	1.11	1.20	150
	SWPA4030S180MT	18±20%	10	0.260	0.200	1.40	1.50	1.10	1.20	180
	SWPA4030S220MT	22±20%	10	0.293	0.225	1.30	1.40	1.00	1.20	220
	SWPA4030S330MT	33±20%	10	0.429	0.330	1.10	1.20	0.84	0.92	330
	SWPA4030S360MT	36±20%	9.8	0.436	0.335	1.05	1.10	0.83	0.91	360
	SWPA4030S390MT	39±20%	10	0.566	0.435	1.03	1.10	0.73	0.80	390
	SWPA4030S470MT	47±20%	8.4	0.579	0.445	0.95	1.00	0.72	0.80	470
	SWPA4030S510MT	51±20%	8.4	0.611	0.470	0.90	1.13	0.70	0.80	510
	SWPA4030S560MT	56±20%	8.4	0.722	0.555	0.85	0.94	0.65	0.71	560
	SWPA4030S620MT	62±20%	7.0	0.760	0.585	0.80	0.99	0.63	0.70	620
	SWPA4030S680MT	68±20%	7.0	1.128	0.868	0.72	0.80	0.52	0.57	680
	SWPA4030S750MT	75±20%	6.3	1.326	1.020	0.70	0.88	0.48	0.53	750
	SWPA4030S820MT	82±20%	5.6	1.378	1.060	0.66	0.72	0.47	0.52	820
	SWPA4030S910MT	91±20%	5.6	1.430	1.100	0.65	0.71	0.46	0.50	910
	SWPA4030S101MT	100±20%	5.6	1.495	1.150	0.60	0.73	0.45	0.49	101
	SWPA4030S121MT	120±20%	5.4	1.755	1.350	0.55	0.60	0.42	0.46	121
	SWPA4030S151MT	150±20%	4.0	2.340	1.800	0.50	0.55	0.30	0.35	151
	SWPA4030S471KT	470±10%	2.0	9.360	7.200	0.30	0.35	0.20	0.23	471
	SWPA4030S501MT	500±20%	2.0	9.027	6.944	0.28	0.30	0.15	0.20	501
	SWPA4030S681MT	680±20%	1.2	9.854	7.580	0.19	0.20	0.14	0.18	681

Note: **1 : Rated current: Isat (max.) or Irms (max.), whichever is smaller;


※2 : Saturation Current: Max.Value, DC current at which the inductance drops less than 30% from its value without current;
Typ. Value, DC current at which the inductance drops 30% from its value without current;


3: Irms: DC current that causes the temperature rise (ΔT) from 20°C ambient.


For Max. Value, $\Delta T < 40^{\circ}C$; for Typ. Value, ΔT is approximate $40^{\circ}C$.


The part temperature (ambient + temp. rise) should not exceed 125 °C under worst case operating conditions. Circuit design, component placement, PCB trace size and thickness, airflow and other cooling provisions all affect the part temperature. Part temperature should be verified in the end application.


Typical Electrical Characteristics:




















20

10

0

1.8

1.5

0.6 DC.Current(A)

10.0

0.0

0.0

0.3

0.6 DC.Current(A)

10.0

0.0


0.0


0.3


30


20


1.5























30

20

10

0

0.35

400.0

300.0

200.0

100.0 0.0

0.05

0.11

0.17 0.23 DC.Current(A) 0.29

